



CITY OF HAM LAKE

15544 Central Avenue NE
Ham Lake, Minnesota 55304
(763) 434-9555
Fax: (763) 434-9599

Date: July 30, 2024
To: Minnesota Department of Labor and Industry
From: Mark W Jones, City of Ham Lake Building Official
Subject: City of Ham Lake approved materials and design

All plumbing material located on property designated for commercial or public use must conform to material specified in the Minnesota Plumbing Code ("MPC") and be acceptable to the Minnesota Pollution Control Agency ("MPCA"), per Table 701.2. The Authority Having Jurisdiction, namely the Building Official in conjunction with City Engineer, may allow alternate materials under section 301.3 of the MPC Alternate Materials and Methods of Construction Equivalency.

Per the City of Ham Lake's material standards, the City requires Reinforced Concrete Pipe class IV conforming to ASTM C76 or approved equal within public vehicle travel ways. Smooth Interior Corrugated Polypropylene Pipe conforming to ASTM D3034 and High-Density Polypropylene (HDPE) conforming to ASTM F2306 or approved equal are permitted for conveying storm water when not under public vehicle travel ways. These materials are acceptable to the City of Ham Lake as the administrative authority if approved by the Minnesota Department of Labor and Industry. Any testing for compliance per MPC 1107.2 will still be required.